



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(azidomethyl)-3-[4-(methylsulfonyl)phenyl]-, (R)- (9CI)
 MF C11 H12 N4 O4 S

Absolute stereochemistry.




L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(3-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C14 H16 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2-chloro-N-[[3-[4-(1-methylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H19 Cl N2 O3

i-Pr



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Methanamine, 1,1-diethoxy-N,N-dimethyl- (9CI)
 MF C7 H17 N O2
 CI COM

NMe₂

EtO CH OEt


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-(hydroxymethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-

Golam Shameem

(9CI)

MF C13 H16 N2 O4

HO CH₂


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 2-Oxazolidinone, 3-(4-acetylphenyl)-5-(aminomethyl)-, monohydrochloride,
(S)- (9CI)

MF C12 H14 N2 O3 . Cl H

Absolute stereochemistry.



● HCl


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Acetic acid, [1-[4-[5-[(acetylamino)methyl]-2-oxo-3-oxazolidinyl]phenyl]ethylidene]hydrazide, (S)- (9CI)

MF C16 H20 N4 O4


Absolute stereochemistry.

Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-[4-(1-methylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , methyl ester (9CI)
 MF C15 H20 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-cyanophenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C13 H13 N3 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Methanethiol, potassium salt (8CI, 9CI)
 MF C H4 S . K

H₃C- SH

● K

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[2-oxo-3-[4-(pentafluoroethyl)phenyl]-5-oxazolidinyl]methyl]-
 , (S)- (9CI)
 MF C14 H13 F5 N2 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-2,2-dichloro-, (S)- (9CI)
MF C14 H14 Cl2 N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-(1-hydrazonoethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
MF C14 H18 N4 O3


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[2-oxo-3-[4-(trifluoromethyl)phenyl]-5-oxazolidinyl]methyl]-, (9CI)
MF C13 H13 F3 N2 O3

Golam Shameem




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Propenamide, N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C14 H16 N2 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(chloromethyl)-3-[4-(methylsulfonyl)phenyl]- (9CI)
 MF C11 H12 Cl N O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Formamide, N-[[3-[4-(methylsulfinyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-,
 (-)- (9CI)
 MF C12 H14 N2 O4 S


Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-2-chloro-,
 (S)- (9CI)
 MF C14 H15 Cl N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[(5S) -3-(4-bromophenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C12 H13 Br N2 O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-methoxyphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C13 H16 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Cyclopropanecarboxamide, N-[[3-[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H18 N2 O3 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-hexyl-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C19 H28 N2 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Propanamide, 3-chloro-N-[[3-[4-(methylsulfinyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C14 H17 Cl N2 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-2-amino-, monohydrochloride, (S)- (9CI)
 MF C14 H17 N3 O4 . Cl H

Absolute stereochemistry.




L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-fluorophenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C12 H13 F N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2-methoxy-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C14 H18 N2 O6 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

```
L3 176 ANSWERS  REGISTRY  COPYRIGHT 2002 ACS
IN Acetamide, 2,2-dimethoxy-N-[[3-[4-(methylthio)phenyl]-2-oxo-5-
MF oxazolidinyl)methyl]- (9CI)
C15 H20 N2 O5 S
```




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

```
L3 176 ANSWERS  REGISTRY  COPYRIGHT 2002 ACS
IN 2-Oxazolidinone, 5-[(cyclohexylamino)methyl]-3-[4-(methylsulfonyl)phenyl]-
   (9CI)
MF C17 H24 N2 O4 S
```



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Propanamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-3-chloro-
 (9CI)
 MF C15 H17 Cl N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-[4-[1-(hydroxyimino)ethyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C14 H17 N3 O4

Absolute stereochemistry.
 Double bond geometry unknown.


Golam Shameem



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[(5S) -3- [4- (chloroacetyl) phenyl] -2-oxo-5-
oxazolidinyl]methyl] - (9CI)
MF C14 H15 Cl N2 O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Oxazolidinone, 5-(azidomethyl)-3-[4-(methylsulfonyl)phenyl] - (9CI)
MF C11 H12 N4 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2,2-diethoxy-N-[[3-[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C17 H24 N2 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-cyclohexyl-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C19 H26 N2 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-(1-methylethenyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , (-)- (9CI)
 MF C15 H18 N2 O3

Rotation (-).




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-[(methylthio)acetyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (-)- (9CI)
 MF C15 H18 N2 O4 S

Rotation (-).


Golam Shameem



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[(5S)-3-(4-ethynylphenyl)-2-oxo-5-oxazolidinyl]methyl]-
 (9CI)
 MF C14 H14 N2 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzenesulfonamide, 4-[5-(azidomethyl)-2-oxo-3-oxazolidinyl]-, (R)- (9CI)
 MF C10 H11 N5 O4 S

Absolute stereochemistry.




L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(azidomethyl)-3-phenyl-, (5R)- (9CI)
 MF C10 H10 N4 O2

Absolute stereochemistry. Rotation (-).



L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(2,4-dinitrophenyl)-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C12 H12 N4 O7


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

Golam Shameem


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-(2-hydroxypropyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
(9CI)
MF C15 H20 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-[(methylsulfinyl)methyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (-)-(9CI)
MF C14 H18 N2 O4 S

Rotation (-).




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[(5S)-3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)

Golam Shameem

MF C14 H16 N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(aminomethyl)-3-[4-(methylsulfonyl)phenyl]-,
 mono(trifluoroacetate) (9CI)
 MF C11 H14 N2 O4 S . C2 H F3 O2

CM 1




CM 2

F
 F C CO₂H
 F

Golam Shameem

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, 2,2-dichloro-N-[(2-oxo-3-phenyl-5-oxazolidinyl)methyl]-, (S)-
(9CI)
MF C12 H12 Cl2 N2 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-(4-aminophenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
MF C12 H15 N3 O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-(4-methylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
MF C13 H16 N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-(bromomethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-,
 (S)- (9CI)
 MF C13 H15 Br N2 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-, methyl
 ester, (S)- (9CI)
 MF C14 H16 N2 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(aminomethyl) 3 [4 (methylthio)phenyl] , (S) (9CI)
 MF C11 H14 N2 O2 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-[4-(aminosulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , methyl ester, (S)- (9CI)
 MF C12 H15 N3 O6 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Ethanethioic acid, S-[4-[5-[(acetylamino)methyl]-2-oxo-3-oxazolidinyl]phenyl] ester, (S)- (9CI)
 MF C14 H16 N2 O4 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[3-(4-ethylphenyl)-2-oxo-5-oxazolidinyl]methyl- (9CI)
 MF C14 H18 N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-(cyclohexylcarbonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (-)-(9CI)
 MF C19 H24 N2 O4


Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzoic acid, 4-[(5S)-5-[(acetylamino)methyl]-2-oxo-3-oxazolidinyl]-, methyl ester (9CI)
 MF C14 H16 N2 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Formamide, N-[[3-[4-(methanesulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-,
 (S)- (9CI)
 MF C12 H14 N2 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-[4-(azidosulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , methyl ester, (S)- (9CI)
 MF C12 H13 N5 O6 S

Absolute stereochemistry.




L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-[(cyanomethyl)thio]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C14 H15 N3 O3 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-iodophenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C12 H13 I N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-acetyl-3-ethylphenyl)-2-oxo-5-oxazolidinyl]methyl]-,
 (S) - (9CI)
 MF C16 H20 N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-(aminosulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-,
 (S) - (9CI)
 MF C12 H15 N3 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C13 H16 N2 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-[4-(methylsulfinyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , methyl ester, (S)- (9CI)
 MF C13 H16 N2 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-(4-mercaptophenyl)-2-oxo-5-oxazolidinyl]methyl]-,
 methyl ester, (S)- (9CI)
 MF C12 H14 N2 O4 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetic acid, [1-[4-[5-[(acetylamino)methyl]-2-oxo-3-oxazolidinyl]phenyl]ethylidene]hydrazide (9CI)
 MF C16 H20 N4 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(azidomethyl)-3-[4-(1-methylethyl)phenyl]- (9CI)
 MF C13 H16 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-2-oxo-3-[4-(1-oxobutyl)phenyl]-5-oxazolidinyl]methyl]-
 (9CI)
 MF C16 H20 N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Methanesulfonamide, N-[[3-[4-(methanesulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C12 H16 N2 O6 S2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2,2,2-trifluoro-N-[[3-[4-(methanesulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C13 H13 F3 N2 O5 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2-azido-N-[[3-[4-(1-methylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H19 N5 O3



L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-(methanesulfinyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (5R)- (9CI)
 MF C13 H16 N2 O4 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-2-oxo-3-(4-propylphenyl)-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H20 N2 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-[[[(4-methylphenyl)sulfonyl]oxy]methyl]-3-[4-(methylsulfonyl)phenyl]-, (R)- (9CI)
 MF C18 H19 N O7 S2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Propanamide, N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , (S)- (9CI)
 MF C14 H18 N2 O5 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Propanamide, 2,2-dimethyl-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C16 H22 N2 O5 S

Golam Shameem


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[[4-(aminosulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 2,2-dichloro-, (S)- (9CI)
 MF C12 H13 Cl2 N3 O5 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetic acid, anhydride (9CI)
MF C4 H6 O3
CI COM

Ac O Ac

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[[(5S)-3-(4-ethenylphenyl)-2-oxo-5-oxazolidinyl]methyl]-
(9CI)
MF C14 H16 N2 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-(4-chlorophenyl)-2-oxo-5-oxazolidinyl]methyl]-, (-)-
(9CI)
MF C12 H13 Cl N2 O3

Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(1,3-benzodioxol-5-yl)-2-oxo-5-oxazolidinyl]methyl]-
 (9CI)
 MF C13 H14 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl]methyl]-,
 ethyl ester, (S)- (9CI)
 MF C14 H18 N2 O4 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl)methyl]-
 (9CI)
 MF C13 H16 N2 O3 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Hydrazine (7CI, 8CI, 9CI)
 MF H4 N2
 CI COM


H₂N NH₂

Golam Shameem

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-(3-hydroxy-1-propynyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (-)-(9CI)
MF C15 H16 N2 O4


Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[[(5S)-3-(4-methylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
MF C13 H16 N2 O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Carbamic acid, [[3-[4-(1-methylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, methyl ester, (S)-(9CI)
MF C15 H20 N2 O4

Absolute stereochemistry.

Golam Shameem

CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Oxazolidinone, 5-(aminomethyl)-3-[4-(methylsulfonyl)phenyl]-, (S)- (9CI)
MF C11 H14 N2 O4 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-(1-methylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
(9CI)
MF C15 H20 N2 O3


i-Pr



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Urea, N-methyl-N'-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C13 H17 N3 O5 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [(2-oxo-3-phenyl-5-oxazolidinyl)methyl]-, methyl ester, (S)- (9CI)
 MF C12 H14 N2 O4


Absolute stereochemistry.

Golam Shameem



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Silane, ethynyltrimethyl- (6CI, 7CI, 8CI, 9CI)
 MF C5 H10 Si
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-(1,1-dimethylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C16 H22 N2 O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 3-(4-acetylphenyl)-5-(aminomethyl)-, (S)- (9CI)
 MF C12 H14 N2 O3

Golam Shameem


i-Pr



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2-chloro-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C13 H15 Cl N2 O5 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Hydroxylamine, hydrochloride (8CI, 9CI)
 MF Cl H . H3 N O
 CI COM


H₂N OH

● HCl

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-(3-hydroxypropyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
, (-) - (9CI)
MF C15 H20 N2 O4


Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Propanamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-, (S)-
(9CI)
MF C15 H18 N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-[[[(4-methylphenyl)sulfonyl]oxy]methyl]-3-phenyl-,
 (5R)-(9CI)
 MF C17 H17 N O5 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Propenamide, N-[[3-[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 (9CI)
 MF C14 H16 N2 O3 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Propanamide, N-[[[3-[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl]methyl]amino]carbonyl]-2-oxo-, (S)- (9CI)
 MF C15 H17 N3 O5 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Cxazolidinone, 5-(bromomethyl)-3-[4-(methylsulfonyl)phenyl]- (9CI)
 MF C11 H12 Br N O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Formamide, N-[[3-[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl]methyl]-,
 (-)- (9CI)
 MF C12 H14 N2 O3 S


Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Formamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-, (S)-
 (9CI)
 MF C13 H14 N2 O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-(4-chlorophenyl)-2-oxo-5-oxazolidinyl]methyl]-, methyl ester (9CI)
 MF C12 H13 Cl N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[2-oxo-3-[4-(trifluoromethyl)phenyl]-5-oxazolidinyl]methyl]-, methyl ester (9CI)
 MF C13 H13 F3 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , propyl ester (9CI)
 MF C15 H20 N2 O6 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(hydroxymethyl)-3-phenyl-, (5R)- (9CI)
 MF C10 H11 N O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Propanamide, 3-chloro-N-[[3-[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C14 H17 Cl N2 O3 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-2-azido-, (S)- (9CI)
 MF C14 H15 N5 O4

Absolute stereochemistry.




L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-chlorophenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C12 H13 Cl N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-[(methylamino)sulfonyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S) (9CI)
 MF C13 H17 N3 O5 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Cyclopropanecarboxamide, N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H18 N2 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, hexyl[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, methyl ester (9CI)

MF C19 H28 N2 O6 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Propanamide, 3-chloro-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C14 H17 Cl N2 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Urea, [[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C13 H15 N3 O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-(1-hydroxyethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 (9CI)
 MF C14 H18 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(iodomethyl)-3-[4-(methylsulfonyl)phenyl]- (9CI)
 MF C11 H12 I N O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2,2-dimethoxy-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H20 N2 O7 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, methyl[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, methyl ester (9CI)
 MF C14 H18 N2 O6 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Propenamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H16 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-[1-(methoxyimino)ethyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (-)- (9CI)
 MF C15 H19 N3 O4


Rotation (-).
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-iodophenyl)-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C12 H13 I N2 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzenesulfonamide, 4-[5-[[[(4-methylphenyl)sulfonyl]oxy]methyl]-2-oxo-3-oxazolidinyl]-, (R)- (9CI)
 MF C17 H18 N2 O7 S2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Urea, [[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C12 H15 N3 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-(4-nitrophenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C12 H13 N3 O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[2-oxo-3-[4-(2-oxopropyl)phenyl]-5-oxazolidinyl]methyl]-
 (9CI)
 MF C15 H18 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-[3-(dimethylamino)-1-oxo-2-propenyl]phenyl]-2-oxo-5-
 oxazolidinyl]methyl]-, [S-(E)]- (9CI)
 MF C17 H21 N3 O4



Absolute stereochemistry.
 Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[2-oxo-3-[4-[(trimethylsilyl)ethynyl]phenyl]-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C17 H22 N2 O3 Si

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 3-(4-acetylphenyl)-5-(azidomethyl)- (9CI)
 MF C12 H12 N4 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(aminomethyl)-3-phenyl-, (5S)- (9CI)
 MF C10 H12 N2 O2
 CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(2-nitrophenyl)-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C12 H13 N3 O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzeneacetamide, .alpha.-amino-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, hydrochloride (9CI)
 MF C19 H21 N3 O5 S . x Cl H



● x HCl

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-[(methylsulfinyl)acetyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (-)- (9CI)
 MF C15 H18 N2 O5 S


Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-(4-acetylphenyl)-2-oxo-5-oxazolidinyl]methyl]-2,2,2-
trifluoro-, (-)- (9CI)
MF C14 H13 F3 N2 O4


Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzenesulfonamide, 4-[5-(aminomethyl)-2-oxo-3-oxazolidinyl]-, (S)- (9CI)
MF C10 H13 N3 O4 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

Golam Shameem


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzenesulfonyl azide, 4-[5-[(acetylamino)methyl]-2-oxo-3-oxazolidinyl]-,
(S) - (9CI)
MF C12 H13 N5 O5 S

Absolute stereochemistry.



L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[4-[5-[(acetylamino)methyl]-2-oxo-3-oxazolidinyl]phenyl]-,
(S) - (9CI)
MF C14 H17 N3 O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[3-(4-butylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
MF C16 H22 N2 O3

Golam Shameem


n-Bu



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-[(2-hydroxyethyl)sulfinyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (R*,S*)- (9CI)
 MF C14 H18 N2 O5 S


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-[4-[(acetyloxy)acetyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C16 H18 N2 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Oxazolidinone, 3-(4-acetylphenyl)-5-(aminomethyl)- (9CI)
MF C12 H14 N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Carbamic acid, [[3-[4-[(methoxymethylamino)sulfonyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, methyl ester, (S)- (9CI)
MF C14 H19 N3 O7 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-(4-mercaptophenyl)-2-oxo-5-oxazolidinyl]methyl]-, (S)-
 (9CI)
 MF C12 H14 N2 O3 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-(4-ethylphenyl)-2-oxo-5-oxazolidinyl]methyl]-, methyl
 ester (9CI)
 MF C14 H18 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-(4-acetyl-3-methylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H18 N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-(4-formylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C13 H14 N2 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2,2-dichloro-N-[[3-[4-(methanesulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C13 H14 Cl2 N2 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-[4-(methanesulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C13 H16 N2 O4 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Ethanethioic acid, S-[4-[5-[[methoxycarbonyl]amino]methyl]-2-oxo-3-oxazolidinyl]phenyl ester, (S)- (9CI)
 MF C14 H16 N2 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[4-[(2-hydroxyethyl)sulfinyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, [S-(R*,R*)]- (9CI)
 MF C14 H18 N2 O5 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2,2-diethoxy-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C17 H24 N2 O7 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-3-(4-ethylphenyl)-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C14 H18 N2 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzenesulfonamide, 4-[5-[(formylamino)methyl]-2-oxo-3-oxazolidinyl]-,
 (S)- (9CI)
 MF C11 H13 N3 O5 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-[(hexylamino)methyl]-3-[4-(methylsulfonyl)phenyl]-
 (9CI)
 MF C17 H26 N2 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2-amino-N-[[3-[4-(1-methylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
 MF C15 H21 N3 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-(4-butylphenyl)-2-oxo-5-oxazolidinyl]methyl]-, methyl ester (9CI)
 MF C16 H22 N2 O4


n-Bu



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(aminomethyl)-3-[4-(1-methylethyl)phenyl]-, monoacetate
 (9CI)
 MF C13 H18 N2 O2 . C2 H4 O2
 CM 1

i-Pr



CM 2


O

HO C CH₃

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-2-oxo-3-[4-(1-oxopropyl)phenyl]-5-oxazolidinyl)methyl]-
 (9CI)
 MF C15 H18 N2 O4

Absolute stereochemistry.


Golam Shameem



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , methyl ester, (S)- (9CI)
 MF C13 H16 N2 O6 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Butanamide, N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-
 , (S)- (9CI)
 MF C15 H20 N2 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2-azido-N-[[3-[4-(methylsulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C13 H15 N5 O5 S

Absolute stereochemistry.



L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Methane, sulfinylbis- (9CI)
 MF C2 H6 O S
 CI COM



O

 $\text{H}_3\text{C}-\text{S}-\text{CH}_3$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[2-oxo-3-[4-(tribromoacetyl)phenyl]-5-oxazolidinyl]methyl]-,
(-)-(9CI)
MF C14 H13 Br3 N2 O4


Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Oxazolidinone, 3-(4-acetylphenyl)-5-(azidomethyl)-, (5R)-(9CI)
MF C12 H12 N4 O3

Absolute stereochemistry. Rotation (-).



L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[3-[[4-[(methylsulfonyl)amino]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
 MF C13 H17 N3 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Carbamic acid, [[3-[[4-(methylthio)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, methyl ester, (S)- (9CI)
 MF C13 H16 N2 O4 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Oxazolidinone, 5-(azidomethyl)-3-[4-(methylthio)phenyl]-, (5R)- (9CI)
 MF C11 H12 N4 O2 S

Absolute stereochemistry.



L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetic acid, dichloro-, methyl ester (6CI, 7CI, 8CI, 9CI)
 MF C3 H4 Cl2 O2
 CI COM

O
 MeO C CHCl₂


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

Golam Shameem

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-(1,2-dihydroxy-1-methylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]- (9CI)
MF C15 H20 N2 O5

OH


Me C CH2 OH



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-[(methylthio)methyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (-)- (9CI)
MF C14 H18 N2 O3 S

Rotation (-).




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[3-[4-(1-methylethyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-, (S)- (9CI)
MF C15 H20 N2 O3

Absolute stereochemistry.

Golam Shameem


i-Pr



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzamide, N-[[3-[4-(methanesulfonyl)phenyl]-2-oxo-5-oxazolidinyl]methyl]-,
 (S)- (9CI)
 MF C18 H18 N2 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, N-[[[(5S)-2-oxo-3-phenyl-5-oxazolidinyl]methyl]- (9CI)
 MF C12 H14 N2 O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 176 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Hydroxylamine, O-methyl-, hydrochloride (8CI, 9CI)
MF C H5 N O . Cl H

H₃C - O - NH₂

● HCl

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

7.60

17.99

STN INTERNATIONAL LOGOFF AT 12:45:14 ON 26 SEP 2002